FIG. 1






FIG. 2






## FIG. 4

## COMMUNICATION MANAGEMENT TABLE TA

PRIMARY COMMUNICATION REGULATIVE INFORMATION		O△··· BYTE AND LOWER BYT
SECONDARY COMMUNICATION REGULATIVE INFORMATION	Java APPLICATION IDENTIFICATION INFORMATION	APPLICATION3, APPLICATION35•••
	ACTIVATION TYPE INFORMATION	TIMER ACTIVATION BY USER (CORRESPONDING TO APPLICATION 3) •••
	DOWNLOAD SOURCE IDENTIFICATION INFORMATION	SERVER24, SERVER56•••
CURRENT COMMUNICATION INFORMATION		△□···BYTE

FIG. 5

COMMUNICATION REJECTION COMMUNICATION RESTRICTION INFORMATION INFORMATION







FIG. 8




7/10

ACTIVATION TIMING OF AUTOMATICALLY ACTIVATING Java APPLICATION STORAGE LOCATION (LOCATION) OF Jar FILE NAME OF SUBJECT MOBILE TELEPHONE VERSION NAME OF Java APPLICATION NAME OF Java APPLICATION SIZE OF Jar FILE CONTENTS MUST/OPTIONAL **OPTIONAL OPTIONAL** MUST MUST MUST MUST FILE SIZE INFORMATION FILE NAME INFORMATION VERSION INFORMATION TIMING INFORMATION MODEL INFORMATION URL INFORMATION NAME

F/G. 9

<DESCRIPTION ENTRY OF ADF>






FIG. 12 700:UIM 720 **ROM** 710 < 730 725 **CPU EEPROM RAM** 715 ( UIM I/F

FIG. 13

